



TECHNICAL SPECIFICATIONS



LENGTH OVERALL

33′ 3″ / 10.15 m



BEAM

9' / 2.75 m



DRAFT

26" / 0.6 m



DRY WEIGHT

6,265 lbs / 2,842 kg



FUEL TANK CAPACITY

118 gal / 450 L



WATER TANK CAPACITY

27 gal / 100 L



HOLDING TANK

20 gal / 75 L



CAPACITY

12 day / 4 Night



CRUISING SPEED

28-30 mph / 45-48 kmh Range: 30mph - 14.5 gal/h



WIDE OPEN THROTTLE

42-49 mph / 67-78 kmh Range: 42mph - 33.5 gal/h



DEADRISE

18°



BRIDGE CLEARANCE

8' 2" / 2.4m







BREAKDOWN

| HANOVER 305 OUTBOARD PREMIUM PACKAGE | | \$224,500 | |
|--|----------|-----------|--|
| BATTERY OPERATED A/C - 5,000 BTU (CABIN) | | \$15,950 | |
| • BOW THRUSTERS | | \$9,500 | |
| • FIBERGLASS T-TOP | | \$7,950 | |
| • ELECTRIC AFT SHADE (STOBAG) | | \$5,200 | |
| TWIN MERCURY® 225HP DTS OUTBOARDS | | \$4,975 | |
| GPS SIMRAD® NSX ULTRAWIDE (15") (UPGRADE) | | \$3,950 | |
| SET OF WATERPROOF EXTERIOR SEAT COVERS | | \$3,400 | |
| REFRIGERATED 12V DRAWER (COCKPIT) | | \$2,950 | |
| BOW TENT (BOW SHADE W/ POLES) | | \$2,250 | |
| ENGINE PROTECTION ADJ RAILING | | \$1,950 | |
| UNDERWATER LIGHTS (PAIR) | | \$1,500 | |
| FUSION® SOUND SYSTEM + 6 MARINE SPEAKERS + AMPLIFIER | | | |
| EXTERIOR PAINTING 2 COLORS OR MORE (HULL, DECK OR HT) | | | |
| POWER CHARGER/INVERTER 1800W | | | |
| SIMRAD VHF RADIO W/ ANTENNA | | | |
| • PREMIUM EVA FLOORING | | | |
| ELECTRIC TOILET SYSTEM | | | |
| ANCHOR WINDLASS ELECTRIC SYSTEM | | | |
| • ELECTRIC TRIM TABS (FLAPS) | | | |
| • FENDERS & LINES | | | |
| USCG BOATING SAFETY KIT | | | |
| SHORE POWER + SHORE CORD 30A | | | |
| MACERATOR PUMP AND HOLDING TANK | | | |
| GALVANIC ISOLATOR (ELECTRICAL PROTECTION) | | | |
| PREMIUM TEAK TABLE (COCKPIT) | | | |
| EXTERIOR SPORT PAINTING AND SPORT SEATS | | | |
| DESIGN ITEMS SET (PILLOWS, BEDDING, CUSHIONS, TOWELS, ACCESSORIES) | | | |
| FOLDING SOLARIUM SUNBEDS (BOW) | | | |
| • EXTRA USB SOCKET | | | |
| ITALIAN STEERING WHEEL | | | |
| HEADLIGHTS W/ REMOTE (CRUISING SPOTLIGHT) | | **** | |
| | Subtotal | \$284,075 | |

Hanover

www.hanoveryachts.com